Step Motor (Servo/24 VDC)

Applicable to the LEC□ series

Electric Gripper 2-Finger Type


LEHF Series LEHF10, 20, 32, 40



40

How to Order

Refer to page 463-1 for the communication protocols EtherCAT®, EtherNet/IP™, PROFINET, DeviceNet™, and IO-Link.



1 Size 10 20

32

40

2 Lead		
	K	Basic

3 2-finger type

Stroke/both sides Size Basic Long stroke 10 16 32 24 48 20 32 64 32

80

6 Motor cable entry Basic (Entry on the right side) Motor cable Nil ഒ Entry on the left side Motor cable L

[CE-compliant products]

1 EMC compliance was tested by combining the electric actuator LEH series and the controller LEC series.

The EMC depends on the configuration of the customer's control panel and the relationship with other electrical equipment and wiring. Therefore, conformity to the EMC directive cannot be certified for SMC components incorporated into the customer's equipment under actual operating conditions. As a result, it is necessary for the customer to verify conformity to the EMC directive for the machinery and equipment as a whole.

2 CC-Link direct input type (LECPMJ) is not CE-compliant.

4 Stroke [mm]

40

[UL-compliant products]

When conformity to UL is required, the electric actuator and controller/driver should be used with a UL1310 Class 2 power supply.

The actuator and controller/driver are sold as a package.

6 6

Confirm that the combination of the controller/driver and the actuator is correct.

<Check the following before use.>

- ① Check the actuator label for model number. This matches the controller/driver.
- ② Check Parallel I/O configuration matches (NPN or PNP).



